



Info Sheet

DesignStand Gamma for EPSON

EB-L1000 Series

The combination of the elegant design stand with reliable event technology enables sophisticated and first-class solutions. The equipment fully performs within the public's line of vision yet is discretely integrated into its surroundings.





Applications

indoor stand for EPSON EB-L1000 series projectors



Height Options

120 cm | 140 cm | 160 cm 200 cm | 220 cm | 240 cm 260 cm | 300 cm | 320 cm



Mountings

adapter heads for landscape use or portrait use (tiltable)



Baseplates

with centralized mount

Set Components for EPSON EB-L1000 Series



Mountings

1 x EPL-L1000 landscape adapter head | 8.3 kg 1 x EPP-L1000 portrait adapter head | 4.2 kg

Head Define

1x56cm | 2.8kg

Extensions

2x100 cm | 6.4 kg 1x80 cm | 5.4 kg 1x60 cm | 4.4 kg

D4 Baseplate with Centralized Mount

1x4cm | 37kg

www.excellent-line.com 1 of 3






Info Sheet

DesignStand Gamma for EPSON

EB-L1000 Series



Mountings

Color: RAL 7035



EPL-L1000 Landscape Adapter Head

The EPL-L1000 adapter head is a perfect fit for EPSON EB-L1000 series projectors with a ELPMB50 stacking frame. The EPL-L1000 permits no inclination. An inclination of $+80^{\circ}$ to -80° is used in combination with the portrait plate.



EPP-L1000 Portrait Adapter Head

The EPL-L1000 adapter head is a perfect fit for EPSON EB-L1000 series projectors with a ELPMB50 stacking frame in portrait mode. The projector can be tilted from $+80^{\circ}$ to -80° in 2° steps.

Baseplate D4

Color: RAL 9005



Head Define



www.excellent-line.com 2 of 3





Info Sheet

DesignStand Gamma for EPSON

EB-L1000 Series

In Action



Architectural specifications

High-quality stand made for the EPSON EB-L1000 series

High-quality indoor design stand build from square tubes and a square baseplate for mounting EPSON EB-L1000 projectors with ELPMB50 stacking frames.

This high-quality aluminum stand features square tubes measuring 10×10 cm available in lengths of 60 cm, 80 cm and 100 cm mounted in each other. The baseplate is made of solid aluminium (80 cm×80 cm×2 cm +2 cm rubber feet) and has a centralized mount for the square tubes. The square tubes are hollow and can be used to feed cables. By using several lengths, different heights can be achieved. The head section of the stand has a cable feed in the back and can be connected to the portrait and landscape adapter head for EPL-L1000. The portrait adapter head can be adjusted from +80° to -80° in 2° steps. The square tubes and the adapter head are powder coated in RAL 7035, while the baseplate features the color RAL 9005.

The stand set contains the following components:

1 x D4 Baseplate (80 cm x 80 cm x 2 cm, RAL 9005) 1 x Quadratic pipe 60 cm (10 cm x 10 cm, RAL 7035)

1 x Quadratic pipe 80 cm (10 cm x 10 cm, RAL 7035)

2xQuadratic pipe 100 cm (10cmx10cm, RAL 7035)

1 x Head Define (56 cm, RAL 7035)

 $1 \times EPL-L1000$ adapter head

(landscape, not tiltable; RAL 7035)

1 x EPP-L1000 adapter head (portrait, tiltable; RAL 7035)

Manufacturer

H.O.F. ALUTEC

Metallverarbeitungs

GmbH&Co.KG

Article

Excellent Line Gamma for EPSON EB-L1000 series

Manufacturer



H.O.F. ALUTEC Metallverarbeitungs GmbH&Co.KG

Brookstrasse 8 | D-49497 Mettingen | Phone +49 (0) 54 52 - 97 33 10 | Fax +49 (0) 54 52 - 97 33 19 | sales@h-of.de

www.excellent-line.com 3 of 3